OFE 42005 STANDENMENTS

### UNITED STATES PATENT AND TRADEMARK OFFICE

Art Unit:

R. DENNIS

Art Unit: 2621

In re:

Applicant:

**SICIGNANO** 

Serial No.:

09/848,655

Filed:

05/04/2001

#### LETTER

I hereby certify that this correspondence is being deposited with the United States Postal Service by First Class Mail on the date indicated above and is addressed to the Assistant Commissioner of Patents and Tragemarks, P. O. Box 1450

UNARROBOVSKY

Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

Sir:

Responsive to the notice regarding the drawings of August 9, 2005, the drawings are enclosed herewith.

It is respectfully requested to accept the drawings and to issue a patent on the above identified application.

Respectfully submitted,

Agent for Applicant Reg. No. 28563





#### UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATIONNUMBER
09/848655

FILING/RECEIPT DATE **05/04/2001** 

FIRST NAMES APPLICANT
SICIGNANO, ALBERT

ATTORNEY DOCKET NUMBER

Ilya Zborovsky 6 Schoolhouse Way Dix Hills NY 11746

Examiner
ROSARIO DENNIS
Art Unit
2621

Date Mailed: 08/09/05

## **Notice Regarding Drawings**

Corrected drawings for the above-identified application, received in the USPTO on <u>05/04/2001</u> are still not acceptable for the reason(s) identified on the attached PTO-948. Applicant is given one opportunity to correct the informalities within a two-month time period from the mailing date of this Notice. THIS TIME PERIOD IS NOT EXTENDABLE UNDER EITHER 37 CFR 1.136(a) OR 1.136(b). Failure to take corrective action within the set period will result in abandonment of the application.

ATTACHMENT: PTO-948 Notice of Draftsperson's Patent Review

**RETURN CORRECTED DRAWINGS TO:** 

**Commissioner for Patents** 

P.O. Box 1450

Alexandria, Virginia 22313-1450

John Fitzhugh (M. #

Office Of Patents Publication

**Publishing Division** 

703-305-0333 ext-137

Forest TO-948 (Rex 160) 348 (S

U.S. DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

# NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  quality). Fig(s)  11. SHADING. 37 CFR 1.84(m) Solid black shading not permitted. Fig(s)  L2. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)  Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)  Fig(s)  Fig(s)  Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)  Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS of CFR 1.84(p)  Lead lines missing. Fig(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u)	1 DDAWINGS 27 CED 1 04/-\: A	O ADDANCEMENT OF VIEWS 27 CER 1940
Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) STYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig IB and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) T. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted execution of the premarks and reference characters must be at least 32 cm (1/8 inch) in height, 37 CFR 1.84(p) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s)  Is LEAD LINES. 37 CFR 1.84(q) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s) Solid black surface shading is not permitted execution of the propersion of the propersion of the propersion of the present the color black as well as color contrast. Fig(s)		
color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must met paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (B 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable margins: for p.2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not apermitted excewen used to represent the color black as well as color contrast. Fig(s) Solid black surface shading is not permitted excewen used to represent the color black as well as color contrast. Fig(s)		
granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) S. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings interlineations, folds, copy machine marks not accepted. Fig(s) Else OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Marginis not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted execused in size to two-thirds in reproduction. Fig(s)  10. CHARACTER OF LINES, NUMBERS, & LOTTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(m) Lines, numbers & letters not uniformly thick an well defined, clean, dirable, and/black (poor lin quality). Fig(s) Solid black shading not permitted. Fig(s)  11. SHADING. 37 CFR 1.84(m) Lines, numbers & letters not uniformly thick an well defined, clean, dirable, and/black (poor lin quality). Fig(s)  12. NUMBERS, & Letters S. 7 CFR 1.84(m) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s)  English alphabet not used. 37 CFR 1.84(p) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  13. LEAD LINES. Sectional farge enough to show mechanism without crowding without crowding without crowding without crowding without crowding is reduced in size to two-thirds in reproduction. Fig(s)  10. CHARACTER OF LINES, WEFEER ENCE CHARACTERS 37 CFR 1.84(m)  Line		
Pencil and non black ink not permitted. Fig(s)  2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: Sheet(s) Drawings sheets not macceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Plent (Fig) Fig(s) Size (Fig) Top (T) Left (L) Right (R) Solid black shading not permitted. Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) SnakGlins, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional ot age enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s)  10. CHARACTER OF LiNES, NUMBERS, & UTTERS. 37 CFR 1.84(f) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Fig(s) Snakelf (Fig(s) Fig(s) Snakelf (Fig(s) Fig(s) Sname of the production. Fig(s) Sname of the production. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Sname of the production. Fig(s) Sname of the production. Fig(s) Solid black shading not permitted well and legible. Fig(s) Sname of the production. Fig(s) Solid black shading not permitted in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Sname of the production. Fig(s) Sname of the production. Solid black shading not permitted in the same direction as		The state of the s
2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF FAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s)  Elasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Solid black shading not permitted. Fig(s)  1. SHADING. 37 CFR 1.84(m) Solid black sareas pale. Fig(s) Solid black sarea pale. Fig(s)  Solid black sarea pale. Fig(s)  1. NUMBERS, ETTERS, & REFERENCE CHARACTER OF LINES, NUMBERS, & FITERS. 37 CFR 1.84(m) Lines, numbers & letters not uniformly thick and well defined, clean, dirable, andrable, andrable and elegible. Fig(s)  Solid black shading not permitted. Fig(s)  1. NUMBERS, ETTERS, & REFERENCE CHARACTER OF LINES, NUMBERS, & FITERS. 37 CFR 1.84(m) Lines, numbers & letters not uniformly thick and well defined, clean, dirable, andrable, andrable, andrable, andrable, andrable, andrable, andrable, andrable and elegible. Fig(s)  Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Numbers, letter	Pencil and non black ink not permitted Fig(s)	
One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.0 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Solid black areas pale. Fig(s) Lines, numbers & letters not uniformly thick and well defined, clean, dirable, and black areas pale. Fig(s)  Solid black areas pale. Fig(s)  Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s)  13. LEAD LINES, NUMBERS, & LETTERS. 37 CFR 1.84(p)(2) Fig(s) Numbers and treference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and referenc	2. PHOTOGRAPHS. 37 CFR 1 84(h)	
Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures (not provided in the same size) Sheet(s) Drawings sheets not an acceptable size. Fig(s) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. IC, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Size to two-thirds in reproduction. Fig(s)  10. CHARACTER OF LINES, NUMBERS, & LETTERS, and Fig(s) Lines, numbers detertes not uniformly thick and well defined, clean, dirable, and black (poor lin quality). Fig(s)  11. SHADING. 37 CFR 1.84(m) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s)  Numbers letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s)  13		
Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s) Surface shading shown not appropriate. Fig(s) Solid black strading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(p)(2) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not labeled separately or properly. Fig(s) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s) Sheets not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black strades apale. Fig(s) Solid black strades apale. Fig(s) Numbers and reference characters		
37 CFR 1.84(f), Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (B 1/2x 11 inches) All drawing sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Solid black sareas pale. Fig(s) Fig(s) Numbers and reference characters not priented in the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Lines, numbers & letters not uniformly thick and well defined, clean, darable, and black (poor lin quality). Fig(s) Solid black sareas pale. Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not priented in the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black sareas pale. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black sareas pale. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black sareas pale. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Solid black sareas pale. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Solid black sareas pale. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Solid bl		· · · · · · · · · · · · · · · · · · ·
Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 I/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  3. TYPE OF PAPER. 37 CFR 1.84(e) Lines, numbers & letters not uniformly thick and well defined, clean, dirable, and black as mellack, poor ling quality). Fig(s)  11. SHADING. 37 CFR 1.84(m) Solid black area pale. Fig(s)  Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lines, numbers desmy able and well defined, clean, dirable, and black as mellack as a prize of the proper series.  14. NUMBERING of SHEETS OF DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s)  15. NUMBERING OF VIEWS. 37 CFR 1.52 Surface shading shown not appropriate. Fig(s)		
3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not fiexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 14, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  i. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.52 Surface shading shown not appropriate. Fig(s) Solid black shading shown not appropriate. Fig(s)  Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s)  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1		LETTERS. 37 CFR 1.84(1)
Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 I/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing charges, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Well defined, clean, dirable, and black (poor line quality). Fig(s)  Solid black areas pale. Fig(s)  Solid black shading not permitted. Fig(s)  Numbers and reference characters not plain and legible. Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s)  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Sheet(s)  Solid black starface shading is not permitted exect when used to represent the color black as well as color contrast. Fig(s)		Lines, numbers & letters not uniformly thick and
Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s)  Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s)  Solid black surface shading is not permitted excey when used to represent the color black as well as color contrast. Fig(s)		well defined, clean, durable, and black (poor lin-
folds, copy machine marks not accepted. Fig(s)  4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s)  12. NUMBERS 3.7 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(t) Sheets not numbered consecutively, and in Arab numerals, beginning with number 1. Sheet(s) Numbers beginning with number 1. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black stradue have when used to represent the color black as well as color contrast. Fig(s)	Fig(s)	quality). Fig(s)
Solid black shading not permitted. Fig(s)		
4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes:  21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches)  All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p)  Numbers and reference characters not plain and legible. Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)  Fig(s)  Numbers and reference characters not plain and legible. Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)  Fig(s)  Numbers and reference characters not plain and legible. Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)  Fig(s)  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2)  Fig(s)  Numbers. letters and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers. letters and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers. letters and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2)  Fig(s)  Numbers. letters and reference characters nust be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3)  Fig(s)  Sectional designation of the Drawings, must likewise be changed.  Views not numbered consecutively, and in Arab numbers begi	• • •	
Sizes:  21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s)  Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s)  Numbers. letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(t) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numberals, beginning with number 1. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.52 Surface shading shown not appropriate. Fig(s)  Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		
21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s)Drawings sheets not an acceptable size. Fig(s)SMARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cmMargins not acceptable. Fig(s)Top (T)	The state of the s	
21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size.  Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Iegible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  13. Lead Lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted excewhen used to represent the color black as well as color contrast. Fig(s)		
All drawing sheets not the same size.  Sheet(s) Drawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Fig(s) Solid black surface shading is not permitted executive to corease the color black as well as color contrast. Fig(s)		
Sheet(s) Drawings sheets not an acceptable size. Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins:  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B)		
brawings sheets not an acceptable size. Fig(s)  5. MARGINS. 37 CFR 1.84(g): Acceptable margins:  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm  Margins not acceptable. Fig(s)  Top (T) Left (L)  Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted executive used. 37 CFR 1.84(p)  Fig(s)  Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(q)  Lead lines missing. Fig(s)  Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s)  15. NUMBERING OF VIEWS. 37 CFR 1.84(u)  Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152  Surface shading is not permitted executively and in Arab numerals, beginning with number 1. Fig(s)  Solid black surface shading is not permitted executively and in Arab numerals, beginning with number 1. Fig(s)		
5. MARGINS. 37 CFR 1.84(g): Acceptable margins:  Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Top (T)	· · · · · · · · · · · · · · · · · · ·	
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm  Margins not acceptable. Fig(s)  Top (T)  Right (R)  Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, c.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  English alphabet not used. 37 CFR 1.84(p)(2)  Fig(s)  Numbers, letters and reference characters must be at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s)  13. LEAD LINES. 37 CFR 1.84(q)  Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u)  Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s)  Show of numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		
Margins not acceptable. Fig(s)		
Right (R) Bottom (B)  6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  i		
6. VIEWS. 37 CFR 1.84(h)  REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  1.84(p)(3). Fig(s)  Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(t)  Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s)  Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		
REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  13. LEAD LINES. 37 CFR 1.84(q)  Lead lines missing. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS  37 CFR 1.84(t)  Sheets not numbered consecutively, and in Arabin numbers beginning with number 1. Sheet(s)  Views not numbered consecutively, and in Arabin numerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		
correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(t)  Sheets not numbered consecutively, and in Arabinumbers beginning with number 1. Sheet(s)  Views not numbered consecutively, and in Arabinumerals, beginning with number 1. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		
changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		
specification, at the Brief Description of the Drawings, must likewise be changed.  Views not labeled separately or properly. Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		14. NUMBERING OF SHEETS OF DRAWINGS.
must likewise be changed.  Views not labeled separately or properly.  Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		37 CFR 1.84(t)
Fig(s)  7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with Arabic or Roman numbers. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		Sheets not numbered consecutively, and in Arabi
7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)  Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)	Views not labeled separately or properly.	
Sectional designation should be noted with  Arabic or Roman numbers. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)	Fig(s)	15. NUMBERING OF VIEWS. 37 CFR 1.84(u)
Arabic or Roman numbers. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)	7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)	Views not numbered consecutively, and in Arabi
Arabic or Roman numbers. Fig(s)  16. DESIGN DRAWINGS. 37 CFR 1.152  Surface shading shown not appropriate.  Fig(s)  Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)	Sectional designation should be noted with	
Fig(s) Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)		
Solid black surface shading is not permitted excess when used to represent the color black as well as color contrast. Fig(s)	<u> </u>	
when used to represent the color black as well as color contrast. Fig(s)		
color contrast. Fig(s)		
	•	
OMMEN 15:	ON CAMENITY.	color contrast. 1 Ig(s)
	UMMEN 15:	